

... and center of the County Road now there.

Report of survey of proposed road through the John Hendricks farm lying East of Carlton.

Survey made for Yamhill County, Oregon on January 7th 1926
Ed Hoover and W. L. Harsberger chainmen.

Beginning at point in the center of a 30 foot platter road in Siami Gardens Plat at point 20.6 feet N1°50'W. from the S. W. corner of Lot 8 of said Plat and being in Section 24 in Tp.

S. S. R. 4. W. of the Will. Mer. Oregon.

Thence S77°30'E. parallel to and 20 feet North on the South line of said Lot #8 187.8 feet to angle #1

Thence S11°00'W 624.1 feet to angle #2/

Thence S47°45'W. 691.1 feet to angle #3

Thence S1°10'E. 351.0 feet to beginning of proposed road in the center of the County Road now there.

Length 1834 feet on the preliminary line and to be 20 feet on each side of above. This being the preliminary line no curves

were run and if accepted by Court said curves will have to be run, and if said road is accepted it should be changed at the

beginning as follows: beginning at the S. W. corner of said Lot #8 thence in a Southeasterly course to about Station 4 to follow the hill side.

Report of survey of proposed road through the John Hendricks farm lying East of Carlton.

Survey made for Lamhill County, Oregon on January 7th 1926

Ed Hoover and M. L. Marshberger chainmen.

Beginning at point in the center of a 30 foot platter road in Siami Gardens Plat at point 20.6 feet $N1^{\circ}50'W$. from the S. W. corner of Lot 8 of said Plat and being in Section 24 in Tp. 3. S. R. 4. W. of the Will. Mer. Oregon.

Thence $S77^{\circ}30'E$. paralel to and 20 feet North on the South line of said Lot #8 187.8 feet to angle #1

Thence $S11^{\circ}00'W$ 624.1 feet to angle #2/

Thence $S47^{\circ}43'W$. 691.1 feet to angle #3

Thence $S1^{\circ}10'E$. 331.0 feet to aeghenus of proposed road in the center of the County Road now there.

Length 1834 feet on the preliminary line and to be 20 feet on each side of above. This being the preliminary line no curves were run and if accepted by Court said curves will have to be run, and if said road is accepted it should be changed at the beginning as follows: beginning at the S. W. corner of said Lot #8 thence in a Southeasterly course to about Station 4 to follow the hill side.

As the best grade that can be had on this route is a 10% it is impractical location and should not be established as a part of the general road system owing to the fact that if there is a necessity for a road in this locality there is a logical route about 1/4 mile East of this Route that is practical on from a 3 to a 5 % grade.

County Engineer.

Round to around

Handwritten notes

Dec 13-74

70-3-804211

July 2-73-73

Handwritten notes

Handwritten notes

Handwritten notes


Handwritten signature

Handwritten signature

CR 216

Handwritten notes

Handwritten notes



77295

2444
S 19° 51' W 8.200 W.

57464
R 20° 6'

3484
A.P. 18° 51'

17973
S 17° 15' W - 5.1714 W

5055'E

040-

21450

174507

20°58'

S 25° 01' W 524 3/4 225

(90381)

3987

S 45° 59' W 546 1/2 205

A R 9°58'

10474

4116

S 36° 01' W 586 1/2 205

A L 12° 08'

9440 1/2


1498
M 60.875

A R 28° 18'

7490 5


S 48° 20'

spring 2005




Mrs. B. P. Marchant

Timber



S 49°
Gottlieb Schaub

Q. Post
S.E. corner
Merchants
St. Andrew's
School building



field

branch

field

field

Pasture

stake | ○ | stake

237762

51405

23405

227382

P.O.T.

2590105

Description for Road
 Beg at Sta 0+0 - being in New Road
 Now there at N74°45'E 100.7 ft from
 10th that marks the N.W. Cor. D.A.S. Hendricks
 026 Thence S 05°06'E 193.7' Sta 1+977
 Thence S 17°05'W 345' Sta " 5+461
 " S 19°51'W 244' " 7+905
 " S 48°09'W 149' " 9+404
 " S 36°01'W 411' " 13+520
 " S 45°59'W 398' " 17+507
 " S 35°01'W 1626.0 " 35+767
 WITH privilage of drive at south end
 of Sta 33+767 at 450' 100' S.W. along
 to turn each way - East - West
 description for deeds.

corrected 12-1-26.

description for deed.

A strip of land 40 feet in width being 20 feet on each side of the center line as now built, being described as a part of the A.S. Hendricks D.L.C. Notification #1529 Claim #72 in Tp. 3. S. R. 4. W. of the Will. Mer. Oregon and beginning at stake set in the center of present road at point N74°45'E 100.7 feet from iron pipe at the N. W. corner of said Hendricks Claim. Thence in a Southerly course following road as now built approximately 708.4 feet to point on the West line of said Hendricks Claim S5°06'W 689.8 feet from iron pipe at the N. W. corner thereof and being N5°06'E 24.0 feet from iron pipe at the S. W. corner of Lot #4 of Siami Gardens. containing .65 of an acre more or less.

Description for Gottlieb Schub to

ing 20 feet
 more partic
 D. L. C. M
 Mer. Ore. at
 and N74°45'W
 S Claim.
 S17°15'W. 34
 outh line of
 corner of

erchant to d
 being 20 fe
 particulary
 n Tp. 3. S.
 est line of
 f the A. E.
 648°09'W. 14
 bet. Thence s
 ight and left
 150 as to ma

corrected 12-1-26

description for deed.

A strip of land 40 feet in width being 20 feet on each side of the center line as now built, being described as a part of the A.S. Hendricks D.L.C. Notification #1529 Claim #72 in Tp. 3. S. R. 4. W. of the Will. Mer. Oregon and beginning at stake set in the center of present road at point N74°45'E 100.7 feet from iron pipe at the N. W. corner of said Hendricks Claim. Thence in a Southerly course following road as now built approximately 708.4 feet to point on the West line of said Hendricks Claim S5°06'W 689.8 feet from iron pipe at the N. W. corner thereof and being N5°06'E 24.0 feet from iron pipe at the S. W. corner of Lot #4 of Siami Gardens. containing .65 of an acre more or less.

Description for Gottlieb Schub to deed to County.

ing 20 feet on each side of the center more particular described as follows: D. L. C. Notification #1529 Claim #72 Mer. Ore. and beginning at stake and N74°45'E. 100.7 feet from iron pipe S Claim. S17°15'W. 348.4 feet. Thence S19°51'W. South line of Lot #4 of Siami Gardens corner of said Lot #4.

It is well known that S. S. Schub is the owner of the land in Siami Gardens.

are about 88 rods of fence.

merchant to deed to county.

being 20 feet on each side of the particular described as follows: in Tp. 3. S. R. 4. W. of the Will. Mer. est line of and S5°06'W. 689.8 feet of the A. S. Hendricks D. L. C. S48°09'W. 149.9 feet. Thence S36°01'W. 1526.0 feet. Thence S25°01'W. Tangent of right and left with Semi. Tangent of d so as to make connection with the

about 20-25 rods of fence

Buy at stake out - 1.0. at NW

120' E - 1.0. at NW

comp on - Handker 8.7. E.
right to them at 12' E. data.

S to W - 82° 12' to 10. NW
and Handker 8.7. E. play at 10. NW

S to W - 82° 8' 54" 13' 6"


Lat. N 17° 15' - N 17° 50' E

S to E - 113° 15' - 89° 30' E

with 87 d. & present grade -

no line found - C.E.

any for this SW to 5.0. -



2994
5195125

5446L 08361 0200

343E
5195106
18°05' 011/4

By

17972

1972

50°50'E

040-

dist 250000

method

30514

040

W, 25, 28




304762 A

22+382 P. 3.17, 114575
595°-01'W

21458-

174502 off 20°58'
524 3/4 mi
1458.2
595°-01'W



W. H. P. Merchant. 69-82

Pay at cor. Dec. 10-14 - 23-24 (3-4)

North 21 05 4 ad. 4" 252 300

E 27 69 to cor. 252 300

S 50 45 115 52.40

N 80 1/2 W 23 00 to 252 300

North 17 21 by 12 7 1/2